ELSEVIER

Analytica Chimica Acta 295 (1994) 331–333

ANALYTICA CHIMICA ACTA

Author Index

Alexander, P.W., see Oungpipat, W. 37
Alexiev, A.
—, Rubio, S., Deyanova, M., Stoyanova, A., Sicilia, D. and Pérez Bendito, D.
Improved catalytic photometric determination of iron(III) in cetylpyridinium premicellar aggregates 211
Allam, N., see Millot, J.-M. 233
Almuaibed, A.M.
— and Townshend, A.
Flow spectrophotometric method for determination of hydrogen peroxide using a cation exchanger for preconcentration 159

Bakker, E.
—, Xu, A. and Pretsch, E.
Optimum composition of neutral carrier based pH electrodes 253
Bannister, J.V., see Somasundrum, M. 47
Bilitewski, U., see White, S.F. 243
Boggia, R., see Forina, M. 109
Bouazizi, A.
—, Maaref, H. and Jaffrezic-Renault, N.
Ag^{+}-sensitive ISFET with a chemically modified silica surface 283
Bradley, J., see White, S.F. 243

Cadisch, M., see Gloor, A. 93
Cañizares, P.
— and Luque de Castro, M.D.
Fluorimetric flow-through sensor for aluminium speciation 59
Carroll, M.K.
—, Conboy, M., Murfin, A. and Tyson, J.F.
Solid-state microprocessor-controlled detector for doublet peak measurements in flow-injection analysis 143
Chattopadhyay, P.
— and Mistry, M.
Rapid chromite dissolution using a manganese dioxide–lithium sulphate–sulphuric acid mixture for matrix-independent determination of chromium 325
Clerc, J.T., see Gloor, A. 93
Clouser, D.L.
— and Jurs, P.C.
Simulation of ^{13}C nuclear magnetic resonance spectra of tetrahydropyrans using regression analysis and neural networks 221

Conboy, M., see Carroll, M.K. 143
Conti, P., see Forina, M. 109
Ćosović, B., see Vojvodić, V. 73
Curto, M.J., see Galceran, M.T. 307

Decnop-Weever, D., see Thuy, D.T. 151
Deyanova, M., see Alexiev, A. 211
Drava, G., see Forina, M. 109
Duan, Y.
—, Li, Y., Tian, X., Zhang, H. and Jin, Q.
Analytical performance of the microwave plasma torch in the determination of rare-earth elements with optical emission spectrometry 315

Elleouet, C., see Quentel, F. 85

Fiehn, O.
—, Reemtsma, T. and Jekel, M.
Extraction and analysis of various benzothiazoles from industrial wastewater 297
Forina, M.
—, Drava, G., Boggia, R., Lanteri, S. and Conti, P.
Validation procedures in near-infrared spectrometry 109

Galceran, M.T.
—, Curto, M.J., Puignou, L. and Moyano, E.
Determination of acridine derived compounds in charcoal-grilled meat and creosote oils by liquid chromatographic and gas chromatographic analysis 307
García de María, C.
—, Manzano Muñoz, T. and Townshend, A.
Reactivation of an immobilized enzyme reactor for the determination of acetylcholinesterase inhibitors. Flow injection determination of paraoxon 287
Gloor, A.
—, Cadisch, M., Kocsis, T., Schaller, R.B., Hediger, H.-J., Clerc, J.T. and Pretsch, E.
Design criteria and implementation of hypermedia tools for structure elucidation of organic compounds with spectroscopic methods 93
González, A.G., see González-Arjona, D. 119
González-Arjona, D.
—, Mejías, J.A. and González, A.G.
HOLMES: a program for target factor analysis 119
Granadillo, V.A., see Tahán, J.E. 187

Hall, J., see Somasundrum, M. 47
Hauser, P.C.
—, Renner, N.D. and Hong, A.P.C.
Anion detection in capillary electrophoresis with ion-selective microelectrodes 181
Hediger, H.-J., see Gloor, A. 93
Helburn, R.S.
— and MacCarthy, P.
Determination of some redox properties of humic acid by alkaline ferricyanide titration 263
Hernández, L., see La Rosa, C. 273
Hong, A.P.C., see Hauser, P.C. 181
Hu, C.-Y.
— and Xu, L.
Algorithm for computer perception of topological symmetry 127
Hu, R.
—, Takeuchi, T., Jin, J.-Y. and Miwa, T.
Separation of enantiomers by microcolumn liquid chromatography with methylated β-cyclodextrin as mobile phase additive 173

Jaffrezic-Renault, N., see Bouazizi, A. 283
Jekel, M., see Fiehn, O. 297
Jin, J.-Y., see Hu, R. 173
Jin, Q., see Duan, Y. 315
Jurs, P.C., see Clouser, D.L. 221

Kankare, J.
—, Karppi, A. and Takalo, H.
Novel labelling agents for immunoassay by time-resolved electrogenerated chemiluminescence 27
Karppi, A., see Kankare, J. 27
Kocsis, T., see Gloor, A. 93
Kok, W.Th., see Thuy, D.T. 151

Lajunen, L.H.J., see Parvinen, P. 205
Lanteri, S., see Forina, M. 109
La Rosa, C.
—, Pariente, F., Hernández, L. and Lorenzo, E.
Determination of organophosphorus and carbamic pesticides with an acetylcholinesterase amperometric biosensor using 4-aminophenyl acetate as substrate 273
Li, Y., see Duan, Y. 315
Linert, W., see Vyazovkin, S. 101
Lorenzo, E., see La Rosa, C. 273
Luan, P., see Thuy, D.T. 151
Luque de Castro, M.D., see Cañizares, P. 59

Maaref, H., see Bouazizi, A. 283
MacCarthy, P., see Helburn, R.S. 263
Madec, C., see Quentel, F. 85
Manfait, M., see Millot, J.-M. 233
Manzano Muñoz, T., see García de María, C. 287
Mejías, J.A., see González-Arjona, D. 119
Millot, J.-M.
—, Allam, N. and Manfait, M.
Study of the secondary structure of proteins in aqueous solutions by attenuated total reflection Fourier transform infrared spectrometry 233
Mirić, V., see Vojvodić, V. 73
Mistry, M., see Chattopadhyay, P. 325
Miwa, T., see Hu, R. 173
Moyano, E., see Galceran, M.T. 307
Murfin, A., see Carroll, M.K. 143

Nghi, T.V., see Thuy, D.T. 151
Niimi, T., see Suzuki, K. 135

Ono, A., see Suzuki, K. 135
Oungpipat, W.
— and Alexander, P.W.
An amperometric bi-enzyme sensor for glycolic acid determination based on spinach tissue and ferrocene-mediation 37

Pal, A., see Vo-Dinh, T. 67
Pariente, F., see La Rosa, C. 273
Parvinen, P.
— and Lajunen, L.H.J.
Determination of sulphur by tin, aluminium and indium monosulphide molecular absorption spectrometry using sharp line irradiation sources 205
Pérez Bendito, D., see Alexiev, A. 211
Pretsch, E., see Bakker, E. 253
Pretsch, E., see Gloor, A. 93
Puignou, L., see Galceran, M.T. 307

Quentel, F.
—, Elleouet, C. and Madec, C.
Electrochemical determination of low levels of residual chlorine dioxide in tap water 85

Ramirez, L., see Vo-Dinh, T. 67
Reemtsma, T., see Fiehn, O. 297
Renner, N.D., see Hauser, P.C. 181
Romero, R.A., see Tahán, J.E. 187
Rongen, H.A.H., see Sparreboom, A. 1
Rubio, S., see Alexiev, A. 211

Saeki, M., see Suzuki, K. 135
Sambi, S.S., see Saxena, R. 199
Saxena, R.
—, Singh, A.K. and Sambi, S.S.
Synthesis of a chelating polymer matrix by immobilizing Alizarin Red-S on Amberlite XAD-2 and its application to the preconcentration of lead(II), cadmium(II), zinc(II) and nickel(II) 199
Schaller, R.B., see Gloor, A. 93
Schmid, R.D., see White, S.F. 243
Shibata, M., see Suzuki, K. 135
Shirai, T., see Suzuki, K. 135
Sicilia, D., see Alexiev, A. 211
Singh, A.K., see Saxena, R. 199

Somasundrum, M.
—, Hall, J. and Bannister, J.V.
Amperometric NADH determination via both direct and mediated electron transfer by NADH oxidase from *Thermus aquaticus* YT-1 47
Sparreboom, A.
—, Rongen, H.A.H. and Van Bennekom, W.P.
Assays for interferons and interleukins in biological matrices 1
Stoyanova, A., see Alexiev, A. 211
Suzuki, K.
—, Niimi, T., Yamamoto, N., Shibata, M., Saeki, M., Ono, A., Shirai, T. and Yanagisawa, S.
Rapid photometric method for the determination of the mass concentration of nitrogen monoxide and nitrogen dioxide 135

Tahán, J.E.
—, Granadillo, V.A. and Romero, R.A.
Electrothermal atomic absorption spectrometric determination of Al, Cu, Fe, Pb, V and Zn in clinical samples and in certified environmental reference materials 187
Takalo, H., see Kankare, J. 27
Takeuchi, T., see Hu, R. 173
Thuy, D.T.
—, Decnop-Weever, D., Kok, W.Th., Luan, P. and Nghi, T.V.
Determination of traces of calcium and magnesium in rare earth oxides by flow-injection analysis 151
Tian, X., see Duan, Y. 315
Townshend, A., see Almuaibed, A.M. 159
Townshend, A., see García de María, C. 287
Turner, A.P.F., see White, S.F. 243
Tyson, J.F., see Carroll, M.K. 143
Van Bennekom, W.P., see Sparreboom, A. 1
Viallet, P., see Vo-Dinh, T. 67
Vigo, J., see Vo-Dinh, T. 67
Vo-Dinh, T.
—, Viallet, P., Ramirez, L., Pal, A. and Vigo, J.
Detection of cadmium ion using the fluorescence probe Indo-1 67
Vojvodić, V.
—, Ćosović, B. and Mirić, V.
Fractionation of surface active substances on the XAD-8 resin. Part I. Mixtures of model substances 73
Vyazovkin, S.
— and Linert, W.
Reliability of conversion–time dependencies as predicted from thermal analysis data 101

White, S.F.
—, Turner, A.P.F., Bilitewski, U., Schmid, R.D. and Bradley, J.
Lactate, glutamate and glutamine biosensors based on rhodinised carbon electrodes 243
Wilke, S.
Impulse-response functions of flow-through detectors based on the membrane-stabilised liquid–liquid interface. Part II. Experimental verification 165

Xu, A., see Bakker, E. 253
Xu, L., see Hu, C.-Y. 127

Yamamoto, N., see Suzuki, K. 135
Yanagisawa, S., see Suzuki, K. 135

Zhang, H., see Duan, Y. 315